L14	<u> </u>	L12	[1]	L10	5	8	7	٦	- G	ュ	٦	٦	F	# Ref
6	216	332	0	164	5815	1	3	ω	ш	2	8	2	2	Hits
(("4070092") or ("4775207") or ("4828362") or ("6084050") or ("6311004") or ("6546163")).PN.	12 not 10	"385"/\$.ccls. and (((liquid near2 (crystal or crystalline)) or LC) with (thermo-optic or thermo-optical or thermo-optically or thermal or thermally or thermal or thermoptic or thermoptic or thermoptical or thermo-optically or thermoptically or temperature))	("2005/0111783");URPN.	9 and ((liquid near2 (crystal or crystalline)) or LC) same (thermo-optic or thermo-optical or thermo-optically or thermal or thermally or thermal or thermooptic or thermoptic or thermooptical or thermo-optically or thermoptically or temperature))	(385/16-24):CCLS:	3 and (thermooptic or thermoptic or thermo-optic or thermo-optical)	5 and (thermooptic or thermoptic or thermo-optic or thermo-optical)	5 and (temperature or heater or heaters or heating or thermal or thermally)	(("6763159") or ("20030219197") or ("20030210855")).PN	3 and (temperature or heater or heaters or heating or thermal or thermally)	(("5016958") or ("5006285") or ("20030156793")).PN.	1 and (temperature or heater or heaters or heating or thermal or thermally)	(("5016958")) or ("5006285") or ("200310156793")).PN	Search Query
USPAT	US-PGPUB; USPAT; USOCR	US-PGPUB; USPAT; USOCR	USPAT	US-PGPUB; USPAT; USOCR	US-PGPUB; USPAT; USOCR	US-PGPUB; USPAT	US-PGPUB; USPAT	US-PGPUB; USPAT	US-PGPUB, USPAT	US-PGPUB; USPAT	US-PGPUB; USPAT	US-PGPUB; USPAT	US-PGPUB; USPAT	DBs
QR.	OR.	O _R	ይ	Ş	S	S	유	OR	ç	₽ R	유	Q _R	웆	Default Operator
OFF	9	, Q	OFF	Q	QT.	양	OFF	OFF	OFF	OFF	OFF	OFF.	OFF	Plurals
2005/08/19 13:51	2005/08/19 13:51	2005/08/19 13:36	2005/08/19 13:24	2005/08/19 14:00	2005/08/19 13:18	2005/08/19 13:18	2005/08/19 13:18	2005/08/19 13:16	2005/08/19 13:13	2005/08/19 13:13	2005/08/19 13:12	2005/08/19 14:00	2005/08/19 13:11	Time Stamp

Search History 8/19/05 4:30:50 PM Page 1
C:\Documents and Settings\MConnellycushwa\My Documents\EAST\Workspaces\10718668.wsp

댭	ធូ	129	L27	L26	125	L24	[23	L22	[2]	79	L19	L18	L 6	.L12
┡	jA.	0	,	–	2	2	ŭ	1	P	0		2	4	3
27 and (coating or coatings)	27 and(index or indices)	27 and(index or indices)	("20020076142").PN	22 and (temperature or heater or heaters or heating or thermal or thermally)	24 and ((liquid near2 (crystal or crystalline)) or LC)	(("20020076142") or ("5016958")).PN.	19:and ((liquid:near2:(crystal:or:crystalline)) or LC)	("5016958").PN.	19 and (((liquid near2 (crystal or crystalline)) or LC) and (thermo-optic or thermo-optical or thermo-optically or thermal or thermally or thermal or thermoptic or thermoptic or thermoptical or thermoptical or thermoptical or thermo-optically or thermoptically or temperature))	19 and (((liquid near2 (crystal or crystalline)) or LC) same (thermo-optic or thermo-optical or thermo-optically or thermal or thermally or thermal or thermoptic or thermoptic or thermoptical or thermoptical or thermo-optically or thermoptically or temperature))	("5006285").PN.	16 and ((liquid near2 (crystal or crystalline)) or LC)	14 and (temperature or heater or heaters or heating or thermal or thermally)	6 and (temperature or heater or heaters or heating or thermal or thermally)
US-PGPUB; USPAT	US-PGPUB; USPAT	USPAT	US-PGPUB; USPAT	US-PGPUB; USPAT	US-PGPUB; USPAT; USOCR	US-PGPUB; USPAT	US-PGPUB; USPAT; USOCR	USPAT	US-PGPUB; USPAT; USOCR	US-PGPUB; USPAT; USOCR	USPAT	US-PGPUB; USPAT; USOCR	US-PGPUB; USPAT	US-PGPUB; USPAT
OR	욹	O _R	Я	유	R	Я Я	Я	OR	OR	Q _R	о _х	Q _R	웃	OR.
OFF	OFF	유	O F	OFF	Š	OFF	ON ON	OFF	Š	Q Q	OFF	S _O	OFF	OFF
2005/08/19 15:22	2005/08/19 15:22	2005/08/19 15:02	2005/08/19 15:02	2005/08/19 15:02	2005/08/19 14:23	2005/08/19 14:23	2005/08/19 14:23	2005/08/19 14:21	2005/08/19 14:21	2005/08/19 14:21	2005/08/19 14:00	2005/08/19 13:54	2005/08/19 14:30	2005/08/19 13:53

C:\Documents and Settings\MConnellycushwa\My Documents\EAST\Workspaces\10718668.wsp	Search H
nents and	ch History 8/19/05 4:30:50 PM Page 3
Settings\N	/19/05 4:3
1Connellyc	0:50 PM
:ushwa\My	Page 3
Documen	
ts\EAST\W	
orkspaces)	
\10718668	
3.wsp	

S11	S10	S9	- S8	S7	98	SS	ጽ	S3	ĸ	S1
708	627	62	1816	286	3999	9	0	0	21	37
(S6 or S7 or S8 or S9) and (LC or (liquid near2 (crystal or crystalline)) or liquid-crystal or liquid-crystalline)	(S6:or:S7:or:S8:or:S9) and (LC or: (liquid near2 (crystal or crystalline)) or liquid-crystal or liquid-crystalline)	(385/45).CCLS.	(385/16-24).CCLS.	(385/45).CCLS.	(385/16-24):CCLS.	(Y near2 (branch or branching or branches or branched or coupler or couplers or coupling or coupled or couples or couple or splitter or splitters or splitting or split or splits)) and (liquid near2 (crystal or crystalline)) and (temperature or heater or heaters or heating or thermal or thermally)	"385"/\$:ccls: and (Y:near2 (branch or branching or branches or branched or coupler or couplers or coupling or coupled or couples or couple or splitter or splitters or splitting or split or splits)) and (liquid near2 (crystal or crystalline)) and (temperature or heater or heaters or heating or thermal or thermally)	"385"/\$.ccls. and (Y near2 (branch or branching or branches or branched or coupler or couplers or coupling or coupled or couples or couple or splitter or splitters or splitting or split or splits)) and (liquid near2 (crystal or crystalline)) and (temperature or heater or heaters or heating or thermal or thermally)	"385"/\$.ccls. and (Y near2 (branch or branching or branches or branched or coupler or couplers or coupling or coupled or couples or couple or splitter or splitters or splitting or split or splits)) and (liquid near2 (crystal or crystalline)) and (temperature or heater or heaters or heating or thermal or thermally)	"385"/\$.ccls. and (Y near2 (branch or branching or branches or branched or coupler or couplers or coupling or coupled or couples or couple or splitter or splitters or splitters or splitters or splitting or split or splits)) and (liquid near2 (crystal or crystalline)) and (temperature or heater or heaters or heating or thermal or thermally)
US-PGPUB; USPAT; USOCR	US-PGPUB; USPAT; USOCR	US-PGPUB; USOCR	US-PGPUB; USOCR	USPAT	USPAT	EPO; JPO; DERWENT; IBM_TDB	EPO; JPO; DERWENT; IBM_TDB	USOCR	US-PGPUB	USPAT
Q.	Я	O _R	႙	Q _R	Я	Я Я	웃	O _R	욹	OR.
ON	OFF	OFF	OFF	OFF	OFF	OFF	OFF	OFF	OFF	OFF
2005/08/19 09:04	2005/08/19:09:04	2005/08/19 09:03	2005/08/19:09:03	2005/08/19 09:03	2005/08/19 09:03	2005/08/18 19:59	2005/08/18:19:59	2005/08/19 13:08	2005/08/18 19:59	2005/08/19 13:09

13	S20	S19	S18	S17	S16	S15	S14	S13	S12
0	9	29	14	10	4	8	–	444	2907
((optical or optic or light or optically) near2 (switch or switches or switching or switch or switched)) and ((channel or channels or ridge) near2 or switch or switched)) and ((cor liquid-crystal or liquid-crystals or (waveguide or waveguides)) and ((cor liquid-crystal or liquid-crystals or liquid-crystals or liquid-crystalline or (liquid near2 (crystal or crystals or crystalline))) and (temperature or thermal or thermally or heater or heaters or heat or heated or heating)	((optical or optic or light or optically) near2 (switch or switches or switching or switch or switched)) and ((channel or channels or ridge) near2 (waveguide or waveguides)) and (Ic or liquid-crystal or liquid-crystals or liquid-crystalline or (liquid near2 (crystal or crystals or crystalline))) and (temperature or thermal or thermally or heater or heaters or heat or heated or heating) and (nematic and isotropic)	:("3695745" "3795433" "3883220").PN. OR. ("4070092").URPN.	("4278327" "4461536" "4556288").PN. OR ("4720174").URPN.	("4201442" "4690489" "4746183" "4749258" "4813771" "4836657"). PN.:OR ("5044712").URPN.	("4720174" "5044712" "5589961" "6763159").PN. OR ("6904207"). URPN.	("20020041726" "20030156793" "4749258" "5044712" "5586205" "5596671" "6546163").PN. OR ("6763159").URPN.	("2003/0219197").URPN.	S11 and S12	(S6 or S7 or S8 or S9) and (heater or heaters or heating or heats or heated or thermal or thermally or temperature)
EPO; JPO; DERWENT; IBM_TDB	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	US-PGPUB; USPAT; USOCR	US-PGPUB; USPAT; USOCR	US-PGPUB; USPAT; USOCR	US-PGPUB; USPAT; USOCR	US-PGPUB; USPAT; USOCR	USPAT	US-PGPUB; USPAT; USOCR	US-PGPUB; USPAT; USOCR
R	OR .	Я	Q.	8	OR.	Q _R	유	S	OR
OFF	OFF	Ŷ,	OFF	OFF	OFF	OFF	OFF	9	NO
2005/08/19:09:23	2005/08/19 09:25	2005/08/19:09:21	2005/08/19 09:15	2005/08/19:09:14	2005/08/19 09:13	2005/08/19:09:13	2005/08/19 09:07	2005/08/19:09:04	2005/08/19 11:26

C:\Document	Search Histo
C:\Documents and Settings\MConnellycushwa\My Documents\EAST\Workspaces\10718668.wsp	rch History 8/19/05 4:30:50 PM Page
nellycushwa\My Do	PM Page 5
cuments\EAST\Wo	-:
rkspaces\10718668	
3.wsp	

S32	,	3 (S30	S29	S28	S27	S26	S25	S24	823	S22
0	,	<u> </u>	⊢ ⁴	12	16	O	83	9	<u> </u>	щ.	71
S30 and (electro-optic)	thermally or temperature)		("6763159").PN.	((liquid near2 (crystal or crystalline)) with ((fill or filled or fills or filling) near2 (trench or trenches or channel or channels)))	"385"/\$.ccls. and ((liquid near2 (crystal or crystalline)) with ((fill or filled or fills or filling) near2 (trench or trenches or channel or channels)))	"385"/\$.ccls. and ((liquid near2 (crystal or crystalline)) with ((fill or filled or fills or filling) near2 (trench or trenches or channel or channels)))	((optical or optic or light or optically) near2 (switch or switches or switching or switch or switched)) and (waveguide or waveguides) and (lc or liquid-crystal or liquid-crystals or liquid-crystalline or (liquid near2 (crystal or crystals or crystalline))) and (temperature or thermal or thermally or heater or heaters or heat or heated or heating)	("5040864" "5544268" "6253015" "6456419").PN.:OR ("6546163"). URPN:	("6546163").PN.	((optical or optic or light or optically) near2 (switch or switches or switching or switch or switched)) and (waveguide or waveguides) and (lc or liquid-crystal or liquid-crystals or liquid-crystal or (liquid near2 (crystal or crystals or crystalline))) and (temperature or thermal or thermally or heater or heaters or heat or heated or heating) and (nematic and isotropic)	((optical or optic or light or optically) near2 (switch or switches or switching or switch or switched)) and (waveguide or waveguides) and (Ic or liquid-crystal or liquid-crystalline or (liquid near2 (crystal or crystals or crystalline))) and (temperature or thermal or thermally or heater or heaters or heat or heated or heating) and (nematic and isotropic)
US-PGPUB; USPAT; USOCR	USPAT; USOCR		USPAT	EPO; JPO; DERWENT; IBM_TDB	US-PGPUB; USPAT; USOCR	EPO; JPO; DERWENT; IBM_TDB	EPO; JPO; DERWENT; IBM_TDB	US-PGPUB; USPAT; USOCR	USPAT	EPO; JPO; DERWENT; IBM_TDB	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
OR.	Ş	3 5	වූ	Q	Я	Я	O _R	S	유	9	Я
ON	Ş) (OFF	OFF	OFF	OFF	OFF	OFF	OFF	OFF	OFF
2005/08/19 11:28	77.11 61/00/2007	7000/00/10 11:00	2005/08/19 11:26	2005/08/19 09:51	2005/08/19 09:51	2005/08/19:09:50	2005/08/19 09:49	2005/08/19:09:26	2005/08/19 09:26	2005/08/19:09:26	2005/08/19 09:30

1 S30 and (electric adj field) US-PGPUB; OR ON 2005/08/19 11:28 USPAT; USOCR USOCR		_	
US-PGPUB; OR ON USPAT; USOCR			S33
US-PGPUB; OR ON USPAT; USOCR			
US-PGPUB; OR ON USPAT; USOCR			S
OR ON			0 and (electric adj field)
O _Z	USOCR	USPAT;	US-PGPUB;
			S _R
2005/08/19 11:28			9
			2005/08/19 11:28